



Size that matters

smaller volumes but who needs the quality and power of a large professional vegetable preparation machine. The size makes the machine suitable to use directly on a kitchen workbench. The leaning design means that the feed cylinder is always positioned at the right angle making it is easy to top up.

Safe and quick top ups

Thanks to the automatic start and stop function the machine stops as soon as the pusher plate is swung aside. When it is swung back the machine restarts and you can continue working. A clear advantage, particularly when larger volumes are involved.

Double safety against unprotected cutting tools

If the feed cylinder is removed the power is cut. Thanks to this double security there is no risk of the machine starting with an unprotected cutting tool.

Developed for the best hygiene

The RG-100 is manufactured solely from hygiene certified material. The machine has smooth surfaces, rounded edges and has no unnecessary recesses where food might penetrate and get stuck.

Easy cleaning

For quick cleaning are all loose parts simple to remove for easy rinsing of the machine. The feed cylinder is removable and can be cleaned under running water.

Only the best material

Machine base, feed cylinder and pusher plate are all made of robust metal. Only top quality stainless steel is used to manufacture the cutting tool knife blades.

Lightweight and easy to move

The relatively small size of the machine gives several advantages. It does not take up a lot of space in the kitchen. You can use it as a table top machine. And it is easy to move, something which is helped by the generously sized handle on the back.

RG-100 is designed to suit the kitchen with



Highest possible reliability

The powerful motor has a high starting and running torque and powers the directdriven cutting tool. No belts or intermediate connections. The power from the motor goes via a maintenance free gear drive. This makes the RG-100 an exceptionally eliable machine - irrespective of the products you are preparing.



Cutting tools with complete register

Our wide range of cutting tools means the RG-100 can handle every conceivable task. You choose the cutting tool you need to make you even more efficient in the kitchen. The RG-100 slices, dices, shreds, grates, cuts juliennes and crimping slices everything from firm to soft products. The knife blades and grating plates are replaceable. As a result you do not need to buy new cutting tools.



Always perfect cutting results

The rotation speed of the cutting tools is optimised for cutting fine and even slices as efficiently as possible. The knife blades are purposely sharpened to avoid inertia or the edge breaking off.







Machine Table



Container Trolley



Pipe Insert for thin vegetables





Brush

Top quality cutting tools for any cut and optimal results

RG-100 Cutting Tool Guide



Slicer (stainless steel) 0.5, 1, 1.5, 2, 3, 4, 5, 6, 7, 8, 9, 10 mm.

Are designed to slice firm and soft vegetables, fruits, mushrooms etc.

Dices when combined with a suitable Dicing Grid.
Cut French fries in combination with French Fry Grid.





Fine Cut Slicer
15 mm.

Are designed to slice firm and soft vegetables, fruits, mushrooms etc.

Dices when combined with a suitable Dicing Grid.





Soft Slicer 8, 10, 12, 15 mm.

2, 3, 4, 5, 6 mm.

Are designed to slice soft vegetables, fruits, mushrooms etc. Preferably used when dicing soft products, in combination with a suitable Dicing Grid.





Crimping Slicer (stainless steel)

Cut decorative rippled slices of beetroot, cucumber, carrots, etc.






Julienne Cutter

(stainless steel) 2x2, 2x6, 3x3, 4x4, 6x6, 8x8, 10x10 mm. Cut julienne of firm products for soups, salads, stews, decorations etc.

Suitable to cut slightly curved French fries.






Grater/Shredder

1.5, 2, 3, 4.5, 6, 8, 10 mm.

Grates carrots and cabbage for raw salads. Grates nuts, almonds and dry bread.

Grater 6 or 8 mm is commonly used for grating cheese for pizza and when shredding cabbage.





Fine Grater
Extra Fine Grater
Hard Cheese Grater

Suitable to grate products very fine such as raw potatoes for potato pancakes, hard/dry cheese to a powder, such as Parmesan for pasta.

Grates dry bread into crumble and horse radish into sauce etc.

Hard Cheese Grater ideal for grating hard cheese such as parmesan.






Dicing Cutter

12.5 mm.

Is designed to cut dices of primarily firm products in combination with suitable Dicing Grid.

Should always be used in combination with a suitable Dicing Grid.





Dicing Grid

6x6, 8x8, 10x10, 12x12, 15x15, 20x20 mm.

Are designed to cut dices in combination with a suitable type of slicer. Dice both hard and soft vegetables, fruits etc.



Our Cutting Tool Selection Guide, with results, images and film clips, is available on the Internet. Go to hallde.com.

























Food Preparation Machines Made in Sweden

RG-100 Vegetable Preparation Machine

- Large half moon shaped feed cylinder that can take most items whole.
- Direct driven cutting tools from a strong heavy duty motor with planetary gear transmission.
- Leaning design reduces stress on shoulders and back when the machine is being refilled.
- Angle top Feed head as an accessory for cutting angle shaped slices. Good for Asian wok dishes or for different types of soup.
- Easy piling of tomatoes, onions, bell peppers etc. for oriented slicing.
- Table top model that can be used on a kitchen workbench.

Machine

- Motor: 0.25 kW. One-speed. 100 V, single phase, 50-60 Hz. 110-120 V, single phase, 60 Hz. 220 V, single phase, 50 Hz. 230-240 V, single phase, 50 Hz. 230 V, three phase, 50 Hz. 400 V, three phase, 50 Hz. 440 V, three phase, 60 Hz.
- · Transmission: Planetary gearing.
- Safety system: Two safety switches.
- Degree of protection machine: IP44.
- · Degree of protection push buttons: IP65.
- Power supply socket: Earthed, single phase, 10 A alternatively earthed, three phase, 10 A slow-blow.
- Fuse: 10 A, delayed action fuse.
- Sound level LpA (EN31201): 70 dBA.
- Magnetic field: Less than 0.5 microtesla.

Materials

- Machine housing: Anodized and polished aluminium alloy.
- Cutting tool discs: Stainless steel/ Aluminium/ Fiberglass reinforced polyamide.
- Cutting tool knife blades: Stainless knife steel.
- Machine table: Stainless steel.
- Container: Polycarbonate.

Feeder

- Feed cylinder: Volume 1.65 litre.
 Height 150 mm. Diameter 170 mm.
- Feed tube with internal diameter 56 mm.

Cutting tools

- Diameter: 185 mm.
- Speed: 350 rpm (50 Hz), 420 rpm (60 Hz).

Type of preparation

- Slices, dices, grates, shreds, cuts julienne and crimping slices.
- Processes vegetables, fruit, dry bread, cheese, nuts, mushrooms, etc.

USEIS

 Restaurants, shop kitchens, diet kitchens, retirement homes, hospitals, schools, fast food outlets, catering, day care centers, salad bars, pizzerias, ships, etc.

Net weights

- · Machine: 16 kg.
- Cutting plates: 0.5 kg.

Standards

- NSF/ANSI Standard 8.
- Other directives: Visit hallde.com.
 Select product and "Certification".

