

AUTOMATIC JUICE EXTRACTORS
J 80 • J 80 Buffet • J 100



BARS - RESTAURANTS - HOTELS - CANTEENS - SUPERMARKETS - EVENTS

Our users

The advantages of Robot-Coupe Juice Extractors

Robot-Coupe juice extractors are used by **professionals** in many different sectors. **Rapid, efficient, sturdy and cost efficient,** J 80, J 80 Buffet and J 100 provide the perfect solution for processing all types of fruit and vegetables and meeting the **growing demands of consumers.**

Hotels

At the breakfast buffet, in the kitchen or at the bar







Supermarkets

Sold by the glass or in bottles



Cafés, bars & restaurants

Take-aways, coffee-shops, bars and juice bars







Mass catering

Canteens and cafeterias



Event catering

For self-service or served by the glass







Healthcare sector

Retirement homes and hospitals





No heating of ingredients AB Vitamins are preserved B




Ultra fresh juice

- Nutrients and antioxidants are preserved
- No heating of processed products
- Ultra fresh juice on demand, in large quantities, whenever needed
- Right quantity of pulp for a thirst quenching, easy-todrink juice

User comfort

 Large automatic feed tube (Ø 79 mm) for continuous processing of whole fruits



- Compact and quiet: can be used right in front of the customer
- Easy-to-handle: great for self-service



Unbeatable cost efficiency

- Quick return on investment: recoup the cost of your J 100 in just 21 days*
- Most efficient juicer on the market for the most frequently used ingredients**
- Long service life thanks to its commercial-grade motor
 - * Based on 20 glasses sold per day
 - ** Apples, oranges, pineapple, pears, peaches, kiwi fruit, grapes, cucumber, celery, carrots, beetroot, spinach etc. Non exhaustive list.











PERFORMANCE


ERGONOMICS








High output and unrivalled juice quality







pulp container (6.5 L)



Stainless steel basket can be removed without using a special tool



- Inclined base for optimal juice flow
 Comes with 2 no-splash spouts:
 - Short for jugs
 - Long for glasses







Drip tray



No-splash spout



Large capacity drip tray to keep working area clean



J 100 - Intensive use



Powerful motor and reinforced grating disc especially designed for intensive use.



LONG LIFESPAN EXCLUSIVITY EXCLUSIVITY J 100 Ultra quiet heavy Reinforced grating -Stainless steel

duty motor 1000 W

for intensive use


bowl and motor unit

for easy aftercare

Large capacity

drip tray to keep

working area clean





ERGONOMICS



2 WAYS OF USING YOUR JUICE EXTRACTOR

1 Continuous pulp ejection



2 Pulp ejected into container






disc for intensive use

CE mark	Electrical characteristics			Dimensions (mm)					Weight (kg)	
	Speed (rpm)	Power (W)	Voltage* (A)	Α	В	С	D	E	Net	Gross
J 80	3 000	700	230V/50 Hz/1	506	538	235	154	-	11	13
J 80 Buffet	3 000	700	230V/50 Hz/1	595	566	262	172	214	11	13
J 100	3 000	1 000	230V/50 Hz/1	628	566	262	205	247	14	15

^{*} Other voltages available







AD OFFICE, FRENCH, EXPORT AND MARKETING DEPARTMENT: $\label{eq:tensor} \text{Tel.:} + 33\ 1\ 43\ 98\ 88\ 33$ email: international@robot-coupe.com

DISTRIBUTOR



PH: 08 9302 1299 51 Paramount Dr Wangara WA 6065 sales@practicalproducts.com.au www.practicalproducts.com.au

STANDARDS:

Machines in compliance with:



- The essential requirements of the following European directives and with the corresponding national regulations: 2006/42/CE, 2014/35/ UE, 2014/30/UE, 2011/65/UE, 2012/19/UE, 1907/2006/CE, 1935/2004/CE, 2023/2006/CE, 10/2011/UE...
- The requirements of the European harmonized standards and with the standards specifying the hygiene and safety requirements: EN ISO 12100:2010, EN 60204-1:2006, EN 60529: IP 55, IP 34, EN 1678.

