

# juicing & bar

equipment catalogue v10.0



# juice extractor

by RUBY MFG made in usa

## Ruby 2000 Mk III

With more than three decades of worldwide customer satisfaction, the Ruby juice extractor produces a continuous supply of fresh, rich, delicious juice from fruit and vegetables. It is capable of producing pulp free juice from apples, celery, carrots, watermelons, honeydew melons, rockmelons, cucumbers, beetroots, oranges, lemons, grapefruits etc.

• **NEW** • 12 vane blade for increased yield/output

### FEATURES

- New waterproof touch button switch
- Continuous high yield juice production
- Produces up to 1.5 Litres in 30 seconds
- Automatic Pulp Ejection
- 8 different spout positions, making the Ruby suitable for any location
- Requires minimal bench space
- All parts that come into contact with the juice are made of Stainless Steel
- Easy to clean and dismantle
- Requires cleaning only once a day
- N.S.F. Approved
- Safety switch on lid

### TECHNICAL DATA

Net Weight: 26Kgs  
Dimensions: 345W x 425D x 470H  
Motor: 2850rpm 1440W  
Thermal Cutout motor  
Voltage: 220-240v / 50Hz  
IP 65 Rated Touch Button Switch

RRP \$3,980.00 + GST

Warranty: 24 months parts 12 months labour  
Back to base warranty

**NEW** Now available in 5kg container



Order Code: DET10

RRP \$98.50 + GST

Order Code: DET5

RRP \$55.00 + GST



Order Code: RB-2000/3

## Cleaner and Sanitiser

The ideal partner for your juicer. DET 10 is a juicer cleaner and sanitiser all in one. It takes the elbow grease out of cleaning your juicer. Simply rinse any excess pulp off the components that require cleaning, place them in a pre-mixed solution to soak overnight and DET 10 will do the rest. Keeps your filter free from tarnishing and clogging.

10 kilo bucket equals approximately 6 months supply.

### FEATURES

Built in Sanitiser  
Excellent de-stainer  
Free Rinsing  
Harsh Alkali-Free  
High Solvent  
10 Kg drum

### ADVANTAGES

Kills germs  
No spotting or streaking  
Non damaging  
Long shelf life

### BENEFITS

Peace of mind  
No rewashing  
Safe to use  
Excellent degreaser  
Economical



# multifruit

by ZUMEX made in spain



Order Code: ZU-06932-S

## Zumex MultiFruit LED

The Multifruit LED is a heavy duty commercial juicer in a compact size.

Engineered to perform. A modern centrifugal juicer with an induction motor and state of the art filtration system produces a continual supply of high quality pulp free juice.

This unit has been designed with the end user in mind, making life easier by saving time, effort and raw material. Product is easy to feed via the large feeder opening.

Ideal for any business that wishes to add fresh, profitable juice to their menu.

### NEW design and improved features

#### FEATURES

- Large feeder (75mm<sup>Ø</sup>) opening
- Continuous juice production
- Dual selector: for Soft or Hard produce (3500 rpm or 4500 rpm)
- Electronic torque control system, with variable power output
- Non-drip tap & removable drip tray
- Silent-Block | Anti-vibration System
- Maintenance free Induction Motor
- Easy to assemble & disassemble - no tools required

#### TECHNICAL DATA

Weight: 15.5Kgs  
Dimensions: 293W x 502D x 513H  
Motor power: 700W - 870W  
Thermal Cutout motor  
Voltage: 220-240v / 50Hz

NEW colours available by special order



RRP \$2,995.00 + GST

Standard\* Warranty: 24 months parts  
12 months labour Back to base warranty

### NEW Optional Through-Bench Kit



RRP \$210.00 + GST

 All Zumex equipment sold now offered with additional 3 years Commercial Warranty, total 5 year redeemable by redemption



# zumex citrus juicers

## SOUL

### WELCOME TO A NEW ERA

Smallest juicer of its kind capable of juicing oranges, lemons, limes and pomegranates without having to swap out any internal components. Ideal for bars, restaurants and any other establishment that requires freshly squeezed juice on demand.

### PURE SIMPLICITY

No longer is there a need to read through endless instructions. You'll get to know how to use this machine in no time, with only one button to control all functions. Cleaning this machine is also a breeze with all internal components being dishwasher safe.



Order Code: ZU-05600

#### TECHNICAL DATA

**Power:** 90 W  
**Throughput:** 12 fruits/minute  
 1 juice (250ml) in 15' seconds  
**Diameter of oranges:** 64-78mm  
**Voltage:** 240/50  
**Dimension:** 260W x 430D x 435H  
**Weight:** 17Kg

RRP \$3,295.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour Back to base



Recommended for 1-20 juices per hour



Order Code: ZU-04917

## Minex

Not only is the MINEX easy on the eye, it makes light work of turning oranges into profitable, freshly squeezed juice at the push of a button.

Being one of the smallest fully automatic citrus juicers on the market means valuable bench space is not compromised.

#### TECHNICAL DATA

**Power:** 0.06 hp/300 W  
**Energy Consumption:** 0.45 Amps  
**Diameter of oranges:** 65-78 mm  
**Throughput:** 13 oranges/minute  
**Feeder Capacity:** 6/7 fruits  
**Dimension:** 365W x 360D x 720H  
**Weight:** 19Kg

RRP \$4,100.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour Back to base



Recommended for 1-20 juices per hour

Zumex offers you the unique opportunity to customise your own MINEX by offering a wide selection of colours.

Colour-match your MINEX with your decor or corporate identity.

Select from an extensive range of 12 carefully selected colours:

#### Choose from:

Orange (Standard), Silver (Metallic), Graphite (Metallic), Bronze (Metallic), White, Grey, Black, Ruby Red, Blue, Light Blue, Green or Light Green



# zumex versatile

## benchtop & podium

### Versatile Pro

The Versatile-Pro is a compact, fully automated juicer that is capable of producing up to 2.5 litres of freshly squeezed orange juice per minute, at the touch of a button.

Truly a fully automatic juicer.



Order Code: ZU-04882

#### TECHNICAL DATA

**Energy Consumption:** 0.3Kw/h / 2.7Amp  
**Throughput:** 22 oranges/minute  
**Feeder Capacity:** 10Kg hopper  
**Diameter of oranges:** 65-81 mm  
**Option 1:** Kit S for smaller fruits 45-67mm  
**Capacity of peel waste:** 2x 5Kgs  
**Net Weight:** 54Kgs | Dimensions: 48 x 55 x 85 cm  
**Security:** Double magnetic safety detector  
**Water Resistance:** IPX4

RRP \$7,995.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour | on-site



Recommended for 20-40 juices per hour

### Versatile Pro Podium

The Versatile Pro Podium is a fully automated juicing system with the smallest of foot prints.

Capable of juicing 22 oranges per minute, which equates to about 2.5 litres per minute.

The hopper can take up to 10kg of oranges and automatically dispenses them as needed. The discarded peels are disposed of and stored in the mobile stand for a trouble free juicing experience.

This unit is ideal for self service situations such as breakfast buffets, cafeterias, mining camps, schools, fruit shops etc...

#### TECHNICAL DATA

**Energy Consumption:** 0.3 Kw/h / 2.7Amp  
**Throughput:** 22 oranges/minute  
**Feeder Capacity:** 10Kg hopper  
**Diameter of oranges:** 65-81 mm  
**\*Option 1:** Kit S for smaller fruit (45-67 mm)  
**Capacity of peel waste:** 52Kgs Bin  
**Net Weight:** 87Kgs | Dimensions: 48 x 55 165 cm  
**Security:** Double magnetic safety detector  
**Water Resistance:** IPX4

RRP \$9,580.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour | on-site



Recommended for 20-40 juices per hour

#### Available colours:



GRAPHITE

SILVER

\***ORANGE** Supplied Standard

^Other colours, by special order



Order Code: ZU-05087



**NEW** to all Zumex juicers - Launch of the first generation of juicers with anti-bacterial technology.

ASP (Antibacterial Silver Polymer) Silver ion-based technology inhibits bacteria growth, guaranteeing extra-efficient and long-lasting hygiene protection.



# zumex speed pro

## benchtop

### SPEED Pro



Order Code: ZU-04837

The "Speed Pro" is ideal for high traffic areas. This workhorse has been designed and built to juice all day, non-stop if required, and will do so without missing a beat. NEW model now featuring a multifunction digital display.

Capable of producing 3.5-4.5 litres of freshly squeezed orange juice per minute, yet does not require a large space to operate in.

#### TECHNICAL DATA

**Throughput:** 40 oranges/minute  
**Feeder Capacity:** 20Kg hopper  
**Electronics:** Multifunction Digital Display  
**Diameter of oranges:** 65-81 mm  
 \*Option 1: Kit S for smaller fruit (45-67 mm)  
 \*Option 2: Kit L for larger fruit (75-95 mm)  
 \*Option 3: In-counter conversion kit  
**Capacity of peel waste:** 2x 10Kgs  
**Dimensions:** 59 x 55 x 99 cm | **Net:** 65Kgs  
**Security:** Triple magnetic safety detector  
**Water Resistance:** IPX4

RRP \$8,995.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour | on-site



### SPEED Pro | Self Service



Order Code: ZU-04840

The Speed Pro Self-Service is characterised by its autonomy and suitability for self service outlets such as hotel buffets, restaurants, and convenience stores, etc.

The new Speed Pro range gives way to the reinvention of a generation of juicers that provide an even more efficient, safe and impeccable service both in the Retail and Food Service sectors.

#### TECHNICAL DATA

**Throughput:** 40 oranges/minute  
**Feeder Capacity:** 20Kg hopper  
**Electronics:** Multifunction Digital Display  
**Diameter of oranges:** 65-81 mm  
**Pulp filter sweeper**  
**Dual Tap modes** (automatic and continuous)  
 \*Option 1: Kit S for smaller fruit (45-67 mm)  
 \*Option 2: Kit L for larger fruit (75-95 mm)  
 \*Option 3: In-counter conversion kit  
**Capacity of peel waste:** 2x 10Kgs Bins  
**Dimensions:** 59 x 67 x 105 cm | **Net:** 72Kgs  
**Security:** Triple magnetic safety detector  
**Water Resistance:** IPX4

RRP \$9,995.00 + GST

Standard\* Warranty: 24 months parts  
 12 months labour | on-site

Applicable for all Speed models



5 All Zumex equipment sold now offered with additional 3 years Commercial Warranty, total 5 year redeemable by redemption



ASP anti-bacterial technology. Standard to all Zumex juicers  
 ASP (Antibacterial Silver Polymer) Silver ion-based technology inhibits bacteria growth, guaranteeing extra-efficient and long-lasting hygiene protection.



# zumex speed pro podium

## SPEED Pro Podium series

The fastest model in the Zumex commercial range, the Speed Podium, capable of producing up to 4.5 litres of fresh juice per minute.

The larger hopper now stores 20kg of oranges coupled with a waste bin located in the stand holding up to 52kg of discarded peel. This allows for continuous production with minimum down time making the "Speed Pro Podium" a little juice factory.

\*Ideal for citrus growers, hotels, hospitals, green grocers and convenience stores.

### Tank Podium



Order Code: ZU-05227

#### TECHNICAL DATA

Throughput: 40 oranges/minute  
 Feeder Capacity: 20Kg hopper  
 Electronics: Multifunction Digital Display  
 Diameter of oranges: 65-81 mm\*  
 Drain Cleaner System  
 Pulp filter sweeper  
 \*Option 1: Kit S for smaller fruit (50-65 mm)  
 \*Option 2: Kit L for larger fruits(83-90 mm)  
 Juice Reservoir: 5 Litres  
 Capacity of peel waste: 25Kgs Bin  
 Dimensions: 68 x 70 x 177 cm | Net: 119Kgs  
 Security: Triple magnetic safety detector  
 Water Resistance: IPX4

RRP \$11,395.00 + GST

Warranty 24 months parts  
 12 months labour | on-site

### Self Service Podium



Order Code: ZU-05224

#### TECHNICAL DATA

Throughput: 40 oranges/minute  
 Feeder Capacity: 20Kg hopper  
 Electronics: Multifunction Digital Display  
 Diameter of oranges: 65-81 mm\*  
 Drain Cleaner System  
 Pulp filter sweeper  
 \*Option 1: Kit S for smaller fruits (50-65 mm)  
 \*Option 2: Kit L for larger fruits (83-90 mm)  
 Dual Tap function: for Single or Continuous mode  
 Capacity of peel waste: 52Kgs Bin  
 Dimensions: 68 x 70 x 177 cm | Net: 120Kgs  
 Security: Triple magnetic safety detector  
 Water Resistance: IPX4

RRP \$12,495.00 + GST

Warranty 24 months parts  
 12 months labour | on-site

### Cooler Podium



Order Code: ZU-05078

#### TECHNICAL DATA

Throughput: 40 oranges/minute  
 Feeder Capacity: 20Kg hopper  
 Electronics: Multifunction Digital Display  
 Diameter of oranges: 65-81 mm\*  
 \*Option 1: Kit S for smaller fruits (50-65 mm)  
 \*Option 2: Kit L for larger fruits (83-90 mm)  
 Refrigerated Juice Reservoir: 7 Litres  
 Capacity of peel waste: 25Kgs Bin  
 Dimensions: 68 x 73 x 185 cm | Net: 128Kgs  
 Security: Triple magnetic safety detector  
 Water Resistance: IPX4

RRP \$12,945.00 + GST

Warranty 24 months parts  
 12 months labour | on-site

# zumex speeds+ NEW S +plus series

## Speed S +plus Series

Zumex's fastest and most robust range has been designed to meet everybody's juicing needs. It includes new models which provide a more efficient, secure and faultless service than ever before.

### NEW features



all S +plus models



for S +plus Podium Self Service model



all S +plus models

It includes all the features already offered plus more...

- NEW** Automatic PulpOut System | for highest quality juice
- NEW** Extraction Kit | speedy removable & clean of juicing system
- NEW** Tap configuration | including a handy bottle holder

- Easy & Compact** - Remove the entire juicing mechanism in just 10 seconds.
- Easy Cleaning** - The full assembly can be cleaned in one piece, in dishwasher or under the tap (A deep clean is recommended at least once a week).

Speed S +plus, created for cafeterias, supermarkets and hotels. Offering improved user experience, faster and easier to use.



Order Code: ZU-06864

## S +plus Self Service BENCHTOP

### TECHNICAL DATA

**NEW** Quick Extraction System  
**Throughput:** 40 oranges/minute  
**Feeder Capacity:** 20Kg hopper  
**Electronics:** Multifunction Digital Display  
**Diameter of oranges:** 65-81 mm\*  
**Drain Cleaner System**  
**NEW Triple filter PulpOut System**  
 \*Option 1: Kit S for smaller fruits (45-67 mm)  
 \*Option 2: Kit L for larger fruits (75-95 mm)  
**Juice Reservoir:** n/a  
**Capacity of peel waste:** 2x 10kg side bins  
**Dimensions:** 59 x 68 x 105 cm | Net: 74Kgs  
**Security:** Triple safety motor seizure detection  
**Water Resistance:** IPX4

RRP \$11,295.00 + GST

Standard\* Warranty: 24 months parts 12 months labour | on-site



Order Code: ZU-07225

## S +plus Self Service PODIUM

### TECHNICAL DATA

**NEW** Quick Extraction System  
**Throughput:** 40 oranges/minute  
**Feeder Capacity:** 20Kg hopper  
**Electronics:** Multifunction Digital Display  
**Diameter of oranges:** 65-81 mm\*  
**Drain Cleaner System**  
**NEW Triple filter PulpOut System**  
 \*Option 1: Kit S for smaller fruits (45-67 mm)  
 \*Option 2: Kit L for larger fruits (75-95 mm)  
**Dual Tap function:** for Single or Continuous mode  
**2x peel waste bins:** 100 L capacity  
**Dimensions:** 85 x 73 x 177 cm | Net: 145Kgs  
**Security:** Triple safety motor seizure detection  
**Water Resistance:** IPX4

RRP \$13,995.00 + GST

Standard\* Warranty: 24 months parts 12 months labour | on-site



Order Code: ZU-07228

## S +plus Tank PODIUM

### TECHNICAL DATA

**NEW** Quick Extraction System  
**Throughput:** 40 oranges/minute  
**Feeder Capacity:** 20Kg hopper  
**Electronics:** Multifunction Digital Display  
**Diameter of oranges:** 65-81 mm\*  
**Drain Cleaner System**  
**NEW Triple filter PulpOut System**  
 \*Option 1: Kit S for smaller fruits (45-67 mm)  
 \*Option 2: Kit L for larger fruits (75-95 mm)  
**Non-refrigerated Juice reservoir:** 5 Litres  
**Capacity of waste bin:** 52L (set inside podium)  
**Dimensions:** 68 x 70 x 177 cm | Net: 121Kgs  
**Security:** Triple safety motor seizure detection  
**Water Resistance:** IPX4

RRP \$12,995.00 + GST

Standard\* Warranty: 24 months parts 12 months labour | on-site

**5** All Zumex equipment sold now offered with additional 3 years Commercial Warranty, total 5 year redeemable by redemption

**ASP**  
Antibacterial Silver Polymer



Recommended for +60 juices per hour



# mastery

by ZUMEX made in spain

## Industrial ColdPress

### Mastery ColdPress Industrial Juicer

The Mastery Cold Press Juicer is designed for all types of fruit and vegetable juices, delivering robust power and crushing efficiency, features an 11 metric ton press, that easily outperforms any other press in its category, for guaranteed quality and output performance.



Order Code: ZU-06732

#### FEATURES

- 4.3" full colour Control Panel
- Highly efficient Brushless motor
- 11-ton press for maximum extraction
- State of the art Feeder/Crushing system
- Open-door sensor, for added safety
- Easy to assemble & disassemble
- Maintenance free Motor

#### TECHNICAL DATA

High production  
up to 110 L/hr  
11 ton of force

#### INCLUDED ACCESSORIES

- 2 x High-efficiency Press Plates
- 3 x Filter Bags [ fine | medium | wide ] \*size of weave
- 3 x Shredder blade/discs [ fine | medium | thick ]
- 1 x Juice Container (with filter)
- 1 x Cleaning kit with 2 brushes and scraper

\$POA price on application

Warranty: 36 months parts 12 months labour | on-site



# slushy granita machines

6 Litre bowls

by COFRIMELL made in italy

## Cofrimell

An internationally known and respected manufacturer of high quality, cold drink dispensers and granita machines, ideal for food service operators looking for a no nonsense, reliable unit for the storage and production of chilled and semi frozen specialty drinks.

Fully manufactured in Italy, these units have been engineered to withstand the rigors of daily use while remaining easy to operate, clean and service.

Overnight conservation mode available on both the KreamLine and Oasis units.

These units are ideal for all types of frozen drinks such as non alcoholic and alcoholic mixes, frozen dairy and non dairy based products as well as premixed concentrates.

Dual Function: Suitable for Chilled or frozen drinks

## KreamLine

KreamLine is a perfect solution for canteens, take-aways, convenience stores, cafes, bars and virtually any food service outlet looking for a reliable unit capable of producing semi frozen drinks, granita, slushy, mousses and alike in a compact unit.

Standard Colour: Black



Order Code: CF-2241.03

### KreamLine 1

#### TECHNICAL DATA

**Capacity:** 1 x 6 Litre Bowl  
Full stainless steel body and frame  
Air cooled refrigeration unit  
**Night/conservation mode**  
**Voltage:** 220-240 v./ 50Hz  
**Consumption:** 300W  
**Ambient Temp:** 30-35° C  
**Refrigerant:** 134A  
**Dimension:** 210W x 530D x 710H  
**Weight:** 31kg

RRP \$1,835.00 + GST

Warranty 24 months parts 12 months labour  
Back to base warranty



Order Code: CF-2291.03

### KreamLine 2

#### TECHNICAL DATA

**Capacity:** 2 x 6 Litre Bowls  
Full stainless steel body and frame  
Air cooled refrigeration unit  
Independent control for each bowl  
**Night/conservation mode**  
**Voltage:** 220-240 v./ 50Hz  
**Consumption:** 500W  
**Ambient Temp:** 30-35° C  
**Refrigerant:** 134A  
**Dimension:** 400W x 530D x 710H  
**Weight:** 51Kg

RRP \$2,875.00 + GST

Warranty 24 months parts 12 months labour  
On-Site warranty





# slushy granita machines

10 Litre bowls

by COFRIMELL made in italy

## Oasis

The Oasis series is ideal for food service outlets that require higher output than the KreamLine series, with a quick recovery time while still remaining reliable and easy to use.

Ideal for making semi frozen specialty drinks such as granita, slushy, frappes, ice coffees, frozen yoghurts etc. Ideal for busy take aways, convenience stores, school canteens, petrol stations, gyms etc.

Standard Colour: Black Dual Function: Suitable for Chilled or frozen drinks

### Oasis 1



Order Code: CF-2210.03

#### TECHNICAL DATA

Capacity: 1 x 10 Litre Bowl  
Full stainless steel body and frame  
Air cooled refrigeration unit  
Night/conservation mode  
Voltage: 220-240 v./ 50Hz  
Consumption: 530W  
Refrigerant: 134A  
Dimension 210W x 530D x 840H  
Weight: 32Kg

RRP \$2,195.00 + GST

Warranty 24 months parts 12 months labour  
Back to base warranty

### Oasis 2



Order Code: CF-2294.03

#### TECHNICAL DATA

Capacity: 2 x 10 Litre Bowls  
Full stainless steel body and frame  
Air cooled refrigeration unit  
Independent control for each bowl  
Night/conservation mode  
Voltage: 220-240 v./ 50Hz  
Consumption: 850W  
Refrigerant: 404A  
Dimension 400W x 530D x 840H  
Weight: 56Kg

RRP \$3,495.00 + GST

Warranty 24 months parts 12 months labour  
On-Site warranty

### Oasis 3



Order Code: CF-2300.03

#### TECHNICAL DATA

Capacity: 3 x 10 Litre Bowls  
Full stainless steel body and frame  
Air cooled refrigeration unit  
Independent control for each bowl  
Night/conservation mode  
Voltage: 220-240 v./ 50Hz  
Consumption: 1100W  
Refrigerant: 404A  
Dimension 600W x 530D x 840H  
Weight: 72Kg

RRP \$4,495.00 + GST

Warranty 24 months parts 12 months labour  
On-Site warranty



Frozen

Chilled

Smoothies



# cold drink dispensers

12 Litre bowls

by COFRIMELL made in italy



Order Code: CF-0014.00

## Coldream

The COFRIMELL drink dispenser is ideal for storing and chilling a wide variety of drinks such as natural fruit juice, cordial, tea, water, and milk. Available in 1, 2 & 3 bowls (12Ltr) the COLDREAM drink dispenser is built to withstand the demands of high traffic areas such as clubs, pubs, gyms and cafeterias,

### TECHNICAL DATA

Capacity: 1 x 12 Litre Bowl  
Voltage: 220-240 v./ 50Hz  
Consumption: 500W  
Refrigerant: 404A  
Dimension 200W x 430D x710H  
Weight: 19Kg

RRP \$1,125.00 + GST

Warranty 24 months parts, 12 months labour  
Back to Base

**NEW**

**now available  
with clear lids**

Order codes

1 bowl: CF-0014.03

2 bowl: CF-0020.03

3 bowl: CF-0026.03



Order Code: CF-0020.00

### TECHNICAL DATA

Capacity: 2 x 12 Litre Bowls  
Voltage: 220-240 v./ 50Hz  
Consumption: 500W  
Refrigerant: 404A  
Dimension 400W x 430D x710H  
Weight: 27Kg

RRP \$1,350.00 + GST

Warranty 24 months parts, 12 months labour  
Back to Base



Order Code: CF-0026.00

### TECHNICAL DATA

Capacity: 3 x 12 Litre Bowls  
Voltage: 220-240 v./ 50Hz  
Consumption: 500W  
Refrigerant: 404A  
Dimension 600W x 430D x710H  
Weight: 38Kg

RRP \$1,745.00 + GST

Warranty 24 months parts, 12 months labour  
On-Site Warranty



# wheatgrass juicer & orange peeler



Order Code: WG-LB34

## LB-34 Wheatgrass Juicer

Best Motorised Stainless Steel  
Wheatgrass Juicer in Australia!

Full stainless steel, motorised juicer running at 50 rpm. Unlike other units on the market this is truly a commercial unit with no plastic parts to break. Ideal for larger volume extraction the Nutrifaster Wheatgrass Juicer is well suited to commercial applications such as juice bars, health clubs, health retreats and health food stores offering freshly squeezed wheatgrass juice.

### TECHNICAL DATA

**Net Weight:** 7.3Kgs  
**Dimensions:** 150W x 450D x 350H  
**Motor:** 75W  
**Voltage:** 240V/50Hz  
**Packed Weight:** 10Kgs  
**Packed Dimension:** 170W x 470D x 270H

RRP \$995.00 + GST

Warranty 12 months parts and labour  
Back to base warranty

**made in taiwan**



\* Not suitable for fruits with a diameter greater than 80mm

Order Code: PL-FP-OPP1

## Peel-O-Matic

The Peel-O-Matic has made  
fruit peeling an easy task.

Cut down on valuable preparation time with the easy to use, easy to clean Peel-O-Matic. This unit peels up to 300 oranges per hour. (capable of 5 oranges per minute).

You can peel fruit such as Oranges, Lemons, Grapefruit, Apples, Pears, and Kiwifruit.

### FEATURES

- Easy to use | Easy to clean
- Fast and reliable, peeling up to 300 oranges per hour or 5 per minute
- Produce a peel-less product with maximum hygiene
- All parts that come into contact with the fruit are made of Stainless Steel
- Minimum counter space required
- Dimensions: 163W x 220D x 250H

RRP \$325.00 + GST

Warranty 12 months parts and labour  
Back to base warranty

**made in spain**

# General Condition of Sales & Warranty

## 1. DEFINITIONS

In these conditions:

**"Agreement"** means any agreement or contract entered into for the provision of goods and/or services by Nutrifaster to the Buyer;

**"Nutrifaster"** means, Nutrifaster Australia Pty Ltd (ABN 30 100 370 143) of

Unit 7, 62-66 Newton Road, Wetherill Park, NSW, 2164

**"Buyer"** means a person, firm or corporation, jointly and severally if there is more than one, acquiring goods or services from Nutrifaster;

**"Goods"** means goods supplied by Nutrifaster to the Buyer;

**"GST"** means the Goods and Services tax as defined in A New Tax System (Goods and Services Tax) Act 1999 as amended;

**"Intellectual Property"** means all copyrights, patents, trademarks, designs, specifications, confidential information, manufacturing processes and all modifications, improvements and derivations (whether registrable or not) owned or licensed by Nutrifaster in respect of the goods and services;

**"Price List"** means the price list issued by Nutrifaster from time to time; and

**"Services"** means services supplied by Nutrifaster to the Buyer; and

**"Terms"** means these Terms and Conditions of Sale.

## 2. BASIS OF AGREEMENT

**2.1** - Unless otherwise agreed by Nutrifaster in writing, these Terms and Conditions of sale apply exclusively to every contract for the sale of goods or services by Nutrifaster to the Buyer and cannot be varied or supplanted by any other conditions, including the Buyer's terms and conditions of purchase (if any).

**2.2** - Any written quotation provided by Nutrifaster to the Buyer concerning the proposed supply of goods or services is:

(a) valid for 90 days;

(b) an invitation to treat only;

(c) subject to the Buyer offering to enter into an Agreement and accepting these Terms.

**2.3** - The Terms may include additional terms in Nutrifaster's quotation, which are not inconsistent with the Terms.

**2.4** - The Agreement is accepted by Nutrifaster when Nutrifaster confirms its acceptance of an offer from the Buyer in writing or electronic means or provides the Buyer with the goods or services.

**2.5** - Nutrifaster in its absolute discretion may refuse to accept any offer.

**2.6** - It is the Buyer's responsibility to provide Nutrifaster with its specific requirements in relation to the goods and services.

**2.7** - Nutrifaster may vary or amend these Terms by notice in writing to the Buyer at any time. Any variations or amendments will apply to orders made by the Buyer after the date of notice.

## 3. PRICING

**3.1** - Prices quoted, whether in the Price List, by written quotation or verbally, for the supply of goods and services, exclude GST and any other taxes or duties imposed on or in relation to the goods and services. In addition to payment of the price of goods and services, the Buyer must pay any GST and any other taxes or duties imposed on the goods and services.

**3.2** - If the Buyer requests any variation to the Agreement, Nutrifaster may increase the price to account for the variation.

**3.3** - Where there is any change in the costs incurred by Nutrifaster in relation to the goods or services, Nutrifaster may vary its price for the goods or services in order to take account of any such change, by notifying the Buyer.

## 4. PAYMENT

**4.1** - Unless otherwise agreed in writing:

(a) Payment for the goods and/or services must be made within 30 days of the end of month in which Nutrifaster's invoice is raised (Account holders only); and

(b) Nutrifaster reserves the right to require payment in full prior to the delivery of the goods or completion of the services.

**4.2** - Nutrifaster, at its sole discretion, may offer a discount on the price of goods (excluding freight charges) for cash payment.

**4.3** - Payment by cheque is not deemed made until the proceeds of the cheque have cleared.

**4.4** - Payment terms may be revoked or amended at the sole discretion of Nutrifaster immediately upon giving written notice to the Buyer.

## 5. PAYMENT DEFAULT

**5.1** - If the Buyer defaults in payment by the due date of any amount payable to Nutrifaster, then all money which would become payable by the Buyer to Nutrifaster at a later date on any account, becomes immediately due and payable without the requirement of any notice to the Buyer, and Nutrifaster may, without prejudice to any other remedy available to it:

(a) charge the Buyer interest on any sum due at the prevailing rate pursuant to the Penalty Interest Rates Act 1983 (Vic) plus 2 per cent for the period from the due date until the date of payment in full;

(b) charge the Buyer for, and the Buyer must indemnify Nutrifaster from, all costs and expenses (including without limitation all legal costs, collection agency costs and expenses) incurred by it resulting from the default or in taking action to enforce compliance with the Terms or to recover any goods;

(c) cease or suspend for such period as Nutrifaster thinks fit, supply of any further goods or services to the Buyer; and

(d) by notice in writing to the Buyer, terminate any agreement with the Buyer so far as unperformed by Nutrifaster; without effect on the accrued rights of Nutrifaster under any agreement.

**5.2** - Clauses 5.1 (c) and (d) may also be relied upon, at the option of Nutrifaster:

(a) where the Buyer is an individual and becomes bankrupt or enters into any scheme of arrangement or any assignment or composition with or for the benefit of his or her creditors or any class of his or her creditors generally; or

(b) where the Buyer is a corporation and, it enters into any scheme of arrangement or any assignment or composition with or for the benefit of its creditors or any class of its creditors generally, or has a liquidator, provisional liquidator, administrator, receiver or receiver and manager appointed, or any action is taken for, or with the view to, the liquidation (including provisional liquidation), winding up or dissolution without winding up of the Buyer.

## 6. PASSING OF PROPERTY

**6.1** - Until full payment in cleared funds is received by Nutrifaster for all goods and services supplied by it to the Buyer, as well as all other amounts owing to

**Nutrifaster by the Buyer:**

(a) title and property in all goods remain vested in Nutrifaster and do not pass to the Buyer;

(b) the Buyer must hold the goods as fiduciary bailee and agent for Nutrifaster;

(c) the Buyer must keep the goods separate from its goods and maintain the labeling of Nutrifaster;

(d) the Buyer is required to hold the proceeds of any sale of the goods on trust for Nutrifaster in a separate account however failure to do so will not affect the Buyer's obligation to deal with the proceeds as trustee;

(e) Nutrifaster may without notice, enter any premises where it suspects the goods may be and remove them, notwithstanding that they may have been attached to other goods not the property of Nutrifaster, and for this purpose the Buyer irrevocably licences Nutrifaster to enter such premises and also indemnifies Nutrifaster from and against all costs, claims, demands or actions by any party arising from such action.

## 7. RISK AND INSURANCE

**7.1** - The risk in the goods and all insurance responsibility for theft, damage or otherwise in respect of the goods will pass to the Buyer immediately on the goods being dispatched from Nutrifaster premises.

**7.2** - The goods are sold to the Buyer on the basis that the Buyer has obtained all necessary licenses or permits under all relevant laws and regulations in relation to the goods.

**7.3** - The Buyer assumes all risk and liability for loss, damage or injury to persons or to property of the Buyer, or third parties arising out of the use or possession of any of the goods sold by Nutrifaster, whether such goods are used singularly, or in combination with other substances, or any process.

## 8. ACKNOWLEDGMENTS

**8.1** - The Buyer acknowledges that:

(a) it has not relied on any service involving skill and judgment, or on any advice, recommendation, information or assistance provided by Nutrifaster in relation to the goods or services or their use or application;

(b) it has the sole responsibility of satisfying itself that the goods or services are suitable for the use of the Buyer or any contemplated use by the Buyer, whether or not such use is known by Nutrifaster; and

(c) any description of the goods provided in a quotation or invoice is given by way of identification only and the use of such description does not constitute a contract of sale by description.

(d) that it must provide to Nutrifaster full particulars of its requirements, including but not limited to, its ABN, order number, quantity and model number and any options required, delivery date, delivery address, insurance instructions and freight instructions, before Nutrifaster will accept any order.

## 9. PERFORMANCE OF AGREEMENT

**9.1** - Any period or date for delivery of goods or provision of services stated by Nutrifaster is intended as an estimate only and is not a contractual commitment. Nutrifaster will use its reasonable endeavors to meet any estimated dates for delivery of the goods or completion of the services but will in no circumstances whatsoever be liable for any loss or damage suffered by the Buyer or any third party for failure to meet any estimated date.

**9.2** - A completed drivers manifest or delivery docket whether signed by the driver or by the Buyer or its employee or agent will be proof of delivery of goods invoiced.

## 10. DELIVERY

**10.1** - Nutrifaster will nominate and coordinate a carrier on the Buyer's behalf unless otherwise instructed by the Buyer.

**10.2** - The Buyer will inform Nutrifaster of all necessary details so that Nutrifaster can affect the delivery of the goods.

**10.3** - The Buyer may nominate its own carrier, in which case it must coordinate the delivery with Nutrifaster.

**10.4** - Nutrifaster shall not be liable for the failure to deliver or complete the contract or any delays in delivering or completing the contract where such failure or delay is occasioned by Act of God, fire, accident, war, strike, lock-out, shortage of labour, lack of skilled labour, breakdown of plant, non-delivery of raw materials, difficulty in producing components or materials, delays in suppliers or sub-contractors, delays in transit, delays by the buyer, legislative governmental or other prohibitions or restrictions, or any other event of any kind whatsoever which is beyond the control of Nutrifaster, and the buyer shall have no right of cancellation of the contract but shall accept delivery of the equipment when Nutrifaster is reasonably able to deliver the equipment having regard to Nutrifaster's commitments to other customers.

**10.5** - Unless otherwise agreed in writing, the Buyer will be responsible for all costs associated with delivery, including any special packaging or required crating, freight, insurance and other charges arising from the point of despatch of the goods to the Buyer to the point of delivery.

**10.6** - The Buyer must provide reasonable and proper access to the location specified for delivery.

**10.7** - Any extra carrier charges due to difficult access, wrong or misleading instructions provided by the Buyer, or the requirement for extra personnel, will be charged to Buyer at cost plus a 10% service fee plus GST charged by Nutrifaster.

**10.8** - The obligation of Nutrifaster to deliver goods shall be satisfied by the delivery by Nutrifaster of the quantity of goods ordered or if delivery is by installments, by the delivery of the quantity of goods to be delivered in each installment (+/- 10%). The Buyer shall only be required to pay for the actual quantity of the goods delivered by Nutrifaster.

**10.9** - If Nutrifaster does not receive forwarding instructions sufficient to enable it to dispatch the goods within 14 days of notification that the goods are ready, the Buyer shall be deemed to have taken delivery of the goods from such date. The Buyer shall be liable for storage charges payable monthly on demand.

**10.10** - Where it is necessary for Nutrifaster to deliver the goods in other than a fully assembled condition (which facts will be stated in the quotation), the cost and responsibility of assembly and installation will fall to the Buyer.



**10.11** - The Buyer must advise Nutrifaster in writing within 3 days of receipt:

- (a) of the non arrival of any or all of the goods;
- (b) if there is damage to the goods;
- (c) that the wrong goods have been received;
- (d) that the quantity of the goods is incorrect; or
- (e) the goods do not meet specifications.

## 11. RETURNS

**11.1** - Goods may only be returned to Nutrifaster:

- (a) if the request to return is made in writing to Nutrifaster within 3 days of delivery to site, stating reason for the requested return;
- (b) if the goods are not optioned or customised in any way or produced to a specific Buyer requirement in part or in whole;
- (c) with the prior written authority of Nutrifaster;
- (d) if the Buyer pays for all transport and handling costs to Nutrifaster' warehouse;
- (e) if the goods are accompanied by a copy of the Nutrifaster GRA provided as proof of authorisation in accordance with clause 11.1(c);
- (f) on the acceptance of the application of a restocking and handling charge, such charge being 10% of the invoice value, except where the wrong goods were delivered by Nutrifaster, in which case there will be no restocking or handling charge; and
- (g) if the goods are in an undamaged and unsoiled condition and in the original packaging, unless with the prior written consent of Nutrifaster.

## 12. LIABILITY

**12.1** - Except as specifically set out herein, or contained in any warranty statement provided with the goods or services, any term, condition or warranty in respect of the quality, merchantability, fitness for purpose, condition, description, assembly, manufacture, design or performance of the goods or services, whether implied by statute, common law, trade usage, custom or otherwise, is hereby expressly excluded.

**12.2** - Replacement or repair of the goods or resupply of the services is the absolute limit of Nutrifaster' liability howsoever arising under or in connection with the sale, use of, storage or any other dealings with the goods or service by the Buyer or any third party.

**12.3** - Nutrifaster is not liable for any indirect or consequential losses or expenses suffered by the Buyer or any third party, howsoever caused, including but not limited to loss of perishables, loss of turnover, profits, business or goodwill or any liability to any other party.

**12.4** - Nutrifaster will not be liable for any loss or damage suffered by the Buyer where Nutrifaster has failed to deliver goods or services or fails to meet any delivery date or cancels or suspends the supply of goods or services.

**12.5** - Nothing in the Terms is to be interpreted as excluding, restricting or modifying or having the effect of excluding, restricting or modifying the application of any State or Federal legislation applicable to the sale of goods or supply of services which cannot be excluded, restricted or modified.

## 13. CANCELLATION

**13.1** - If, through circumstances beyond the control of Nutrifaster, Nutrifaster is unable to affect delivery or provision of goods or services, then Nutrifaster may cancel the Buyer's order (even if it has already been accepted) by notice in writing to the Buyer.

**13.2** - No purported cancellation or suspension of an order or any part thereof by the Buyer is binding on Nutrifaster after that order has been accepted.

**13.3** - Nutrifaster, in its absolute discretion may review, alter or terminate the Buyer's credit limit or payment terms without notice.

**13.4** - If the Buyer cancels the order after acceptance by Nutrifaster, then Nutrifaster will be entitled to damages for breach of contract. This includes, but is not limited to, compensation in accordance with Nutrifaster Order Cancellation Policy as in effect at time of Order Confirmation.

## 14. SPECIFICATIONS

**14.1** - All specifications, drawings, illustrations descriptive matter and particulars contained in Nutrifaster' catalogues, website and marketing documents are indicative only, do not form part

of this Agreement, and are not representations or warranties of any kind. Any discrepancy will not entitle the Buyer to rescind this Agreement or seek compensation or damages.

**14.2** - Nutrifaster reserves the right to make minor modifications to its goods without notice to the Buyer and deliver such modified goods against any existing order, unless such right is waived by Nutrifaster in writing to the Buyer.

**14.3** - The Buyer must not reverse engineer any goods provided to it by Nutrifaster.

**14.4** - All drawings, descriptive matter and particulars supplied, remain Nutrifaster' property and are to be returned to Nutrifaster on demand. The Buyer must not publish or communicate any of them to any person or publish or permit them to be copied or communicate them to any other person without Nutrifaster' prior consent in writing.

## 15. INTELLECTUAL PROPERTY

**15.1** - The Buyer acknowledges that it has no proprietary right or interest in the Intellectual Property.

**15.2** - The Buyer must not register or record or attempt to register or record anywhere in the world the Intellectual Property or any part or any patents, inventions, trademarks or designs derived from or similar to the Intellectual Property or aid or abet anyone else in doing so.

**15.3** - The Buyer must not at any time create, sell, manufacture or process any goods or services using or taking advantage of the Intellectual Property.

**15.4** - Any Intellectual Property provided to the Buyer by Nutrifaster in connection with the goods and services remains the exclusive property of Nutrifaster and must be returned to Nutrifaster on demand and must not be copied or communicated to any third party without the express written consent of Nutrifaster.

## 16. WARRANTY

**16.1** - Subject to clause 16.4,

**16.2** - Nutrifaster limited warranty is to the original purchaser of Nutrifaster equipment, for the period (shown in Table 1), from the purchase date of the product.

(a) Nutrifaster, in its reasonable discretion if it deems necessary, will repair or replace any goods to remedy any failure due to faulty workmanship or materials, provided that the goods may have acceptable variance; and

(b) any replacement or repaired goods will only be warranted for the unexpired portion of the warranty period attached to the original goods.

(c) The following warranty exclusions apply:

i. Any product which Nutrifaster publishes as excluded from application of this warranty; and

ii. Any product for which the warranty period published by Nutrifaster (in advertising material or otherwise) differs from the warranty period outlined in Table 1.

**16.3** - Provision of the Warranty is subject to:

(a) The Buyer not being in breach of these Terms and Conditions of Sale or any additional Agreement as may be in place;

(b) proof of purchase of the Equipment being directly from Nutrifaster or an authorised distributor or agent of Nutrifaster;

(c) Nutrifaster' or its representative, at its option, having access to the goods for the purposes of inspection and verification of any claim;

(d) The Buyer has not repaired or undertaken to repair the goods without prior authorisation from Nutrifaster nor altered the goods in any way;

(e) service calls and on-site Warranty repair work being on the Australian mainland and within 50klms of the service operators premises, if not, then any distance be charged to the Buyer on the excess at commercial rates;

(f) the Buyer uses and maintains the goods in accordance with Nutrifaster' instructions and in accordance with commonly accepted operating practices;

(g) the Buyer providing written notice within 3 days of delivery of any goods that it believes do not meet specifications or goods that are defective; and

(h) correct storage, siting and installation of the goods in accordance with Nutrifaster' instructions.

**16.4** - This Warranty does not extend and excludes:

(a) defects or malfunctions that are the result of incorrect or poor maintenance by the Buyer;

(b) damage or alteration to the goods arising from circumstances outside the direct control of Nutrifaster, including, without limitation, power surges, disruptions or where the goods are not used for their intended purpose;

(c) any part the equipment which has been subject to misuse, neglect, alteration, removal of identification numbers or plates, or if changed in any manner, incorrect installation or accident that has been caused by the purchaser or its invitee;

(d) the failure of goods that have been supplied to a Buyer's specification or design and that failure was caused by a Buyer specification or design fault;

(e) any problem that might arise due to poor installation or siting of the goods, including but not limited to, lack of sufficient fresh air circulation or inadequate ventilation, or if the airflow within the cabinet has been adversely effected due to the product blocking the air ducts;

(f) any problem that might arise out of the installation of remote cabinets, including but not limited to, leaks in the refrigeration system and components including TX valves, and wiring issues with controllers;

(g) any third party equipment that the Buyer might have specified;

(h) any installation or removal costs necessary to access or service equipment;

(i) damage to, or breakage of, glass doors, gaskets, hinges, lights or plastic components; and

(j) the failure of gaskets, fluorescent lights, hinges, locks, TX valves and batteries;

**16.5** - The Buyer warrants to use the goods in accordance with:

(a) any instructions provided to it by Nutrifaster from time to time;

(b) all government and local regulations, including but not limited to all relevant

environmental laws and regulations governing the storage, installation, use, handling, maintenance and disposal of the goods.

(c) all necessary and appropriate precautions and safety measures relating to the storage, installation, use, handling and maintenance of the goods.

**16.6** - Nutrifaster approved warranty work undertaken by authorised service agents are arranged during normal working hours only. (Monday – Friday, 8:00am to 5:30pm, excluding public holidays).

**16.7** - In the case of goods not manufactured by Nutrifaster but are sourced from third parties and supplied by Nutrifaster, this Warranty will not operate to extend the terms of the original manufacturer of those goods.

## 17. PRIVACY

**17.1** - Nutrifaster is bound by the Privacy Act 1988 and takes steps to ensure that all personal information obtained in connection with the Buyer will be appropriately collected, stored, used, disclosed and transferred in accordance with the National Privacy Principles. Such information may be accessed by request to Nutrifaster in accordance with the Privacy Act.

**17.2** - Nutrifaster requires that the Buyer comply with the National Privacy Principles in connection with any personal information supplied to it by Nutrifaster in connection with this Agreement.

Table 1

TYPE OF PRODUCT	PARTS	LABOUR	SERVICING LOCATION
Ruby 2000/3 Juicer	24 months	12 months	Back to Base
Cofirmell machines	24 months	12 months	*On-site
Zumex Juicers	24 months	12 months	*On-site
Wheatgrass Juicers	12 months	12 months	Back to Base
Fruit Peelers	12 months	12 months	Back to Base

\* On-Site warranty applies to equipment exceeding a net weight of 35Kg



WWW. **NUTRIFASTER** .COM.AU

**NUTRIFASTER**  
FOOD SERVICE EQUIPMENT

Nutrifaster Australia Pty Ltd  
Unit 7, 62-66 Newton Road  
Wetherill Park, NSW 2164

P +61 2 9729 2011  
F +61 2 9729 2012  
E sales@nutrifaster.com.au

