

BAKERLUX SPEED.Pro

The first ever baking speed oven



ENGLISH



Index

BAKERLUX SPEED.Pro[™]

WA DEALER PRACTICAL PRODUCTS PTY LTD

PH: 08 9302 1299 51 Paramount Dr Wangara WA 6065 sales@practicalproducts.com.au www.practicalproducts.com.au

Bake mode

The formula

Speed mode

SPEED.Pro[™] panel

Unox Technologies

Data Driven Cooking

Technical Assistance

Technical data

Unox in the world

| page | 4 |
|------|---|
| page | 6 |

| page | 8 |
|------|----|
| page | 14 |

24 page 26 page 30 page 33 page 36 page 42

page



Bake

The traditional soul of BAKERLUX SPEED.Pro™ bakes evenly and enhances fragrances and flavours. OUX.

SP

201




Speed baking

The innovative soul of BAKERLUX SPEED.Pro™ quickly heats up any food by combining convection, conduction and microwave cooking.

Speed


The equation that multiplies your profit



0.7 m²

2 in 1

Convection oven and speed oven. Two pieces of equipment, double the space, double the cost. How often do they actually work at the same time?



0.4 m²

BAKERLUX SPEED.Pro[™]

BAKERLUX SPEED.Pro[™] is the first ever baking speed oven: a convection oven and a speed oven in a single piece of equipment. Small footprint, maximum profit.



16 mins

27 pcs frozen

croissants

90 sec 4 pcs toasted croissant sandwich



Fill your baked goods once baked, then heat them up in a few seconds when the order comes in, serve them hot and fragrant: multiply your profit!

Convection External golden browning















Conduction Crusty toasting by contact

Maximum speed

Triple cooking

Microwave Fast internal heating BAKERLUX SPEED.Pro[™]

Bake mode

The spacious baking chamber with the double-speed fan is ideal to grant fragrant and browned baked goods. Conquer your customer, diversify your offer, increase your profit.

Traditional excellence

A flawless convection baking

What is the secret to a perfect result?

Convection baking requires perfect control of the air flows in every point of the baking chamber and the effective removal of any excess of humidity.

For BAKERLUX SPEED.Pro[™] nothing has ever been so simple.



Capacity 3 460 x 330 trays

Convection power 3.2 kW

























Cooking Performance

Pastry and Bakery

Baking Essentials

BAKE

Aluminium tray.





FORO.BLACK Non-stick perforated aluminium pan.



Ideal for

Pastry; Cakes.

Advantages

Aluminium tray for rapid heat exchange; Ultra low edge for maximum baking uniformity.

Art. **TG305** 460 x 330

Ideal for

Pizza; Focaccia; Bread.

Advantages

Increase the dough sweating during cooking; Ultra low edge for maximum baking uniformity.

Art. **TG310** 460 x 330

Ideal for

Croissants; Frozen bread; Danish pastries and pastry.


Advantages

Ultra low edge for maximum distribution of air flows: Baking paper not necessary.

Art. **TG330** 460 x 330

BAGUETTE.GRID

Extra-light chromium plated grid - 5 channels.



PAN.FRY

Non-stick steel pan.





STEEL.GRID Non-stick stainless steel grid.



Art. GRP335 460 x 330

Complementary

Ideal for

Frozen baguettes; Frozen midi-baguettes.

Advantages

Maximizes the air circulation on every surface of the bread.

Art. GRP310 460 x 330

Ideal for

Pizza; Quiche lorraine; Pre-fried foods.

Advantages

20 mm depth.

Art. TG350 460 x 330

Ideal for

Frozen pizzas; Frozen bread.

Advantages

Maximizes the air circulation on every surface of the food.

BAKERLUX SPEED.Pro[™]

Speed mode

The plate for speed mode makes it possible to heat both single and multiple portions of food in seconds. Service times are halved, your profits doubled.

Multi-portion speed baking



gr lasagna in 100 seconds



gr chicken wings in 110 seconds










toasted sandwiches

How much does it cost you to keep your customers waiting?

Get rid of all waiting, multiply your earnings

The limited size of the pan of a traditional speed oven does not allow you to cook more than one sandwich at a time. This translates into prolonged waiting times at rush hours.

Thanks to BAKERLUX SPEED.Pro™ and the 450 x 330 mm surface of the special SPEED.Plate tray you can bake up to 4 or more sandwiches at the same time to never keep your customer waiting.





The plate that speeds up time

SPEED.Plate

The SPEED.Plate plate accumulates heat during the preheat or when the oven is in stand-by mode and releases it quickly as soon as the food is put onto it. The non-stick coating makes it easy to clean.

SPEED.Pro[™] spatulas

Quickly unload products without any risk thanks to the ergonomic handle of our SAFE.Hand spatula which prevents any contact with hot surfaces.




Art. **XUC165** Technical details on page 41






Flat side

The flat surface quickly heats up and browns the bottom surface of the food and gives it an intense and uniform color. The side and rear lips make it easy to position the food and remove it.






Art. **TG360** 450 x 330

Art. **TG360** 450 x 330





Art. **XUC166** Technical details on page 41




Ribbed side

The ribbed side of the SPEED.Plate allows a more effective removal of humidity from the bottom surface of the product. Ideal for club sandwiches, breads without crust or deli.

SPEED.Pro[™] - Spee


SPEED.Grid

The SPEED.Grid grid allows you to obtain intense markings on every type of product. Combined with the special toothed scoop, it allows easy positioning and food extraction.





Quick to preheat, simple to use. The stainless steel SPEED.Grid quickly heats up food from which humidity needs to be taken out from its bottom surface, such as toast or white bread, or to quickly position ceramic dishes or any other recipient resistant to high temperatures.



SPEED.Pro™ spatulas

Quickly load and unload products without any risk thanks to the ergonomic handle of our SAFE.Hand spatula which prevents any contact with hot surfaces.



Technical details on page 41

Technical details on page 41

Intelligent technology

The Unox technology applied to BAKERLUX SPEED.Pro[™] ovens is designed to automatically manage the cooking and heating process of food and thus allows you to focus on what is most important to you.

Invented to simplify your work

SPEED.Pro

Convection mode

The BAKE mode allows you to carry out convection baking programs made of several steps, store the most used programs or use the automatic CHEFUNOX programs.

Ideal for frozen bakery products, but also capable of cooking other types of food, it allows you to reduce the cooking process times by inserting one or more steps that combine convection and microwaves.

| S | Se | t | |
|---|----|-----|--|
| ι | In | t o | |

Up to 9 baking steps for each program

J



384 programs memory

CHEFUNOX

Select what you want to bake and the result you are looking for



Speed interface

Speed mode

The SPEED mode allows you to quickly heat up any type of food, memorise the most used programs or use the SPEEDUNOX automatic processes.

The oven remains at working temperature even during the stand-by phases to always be ready and to heat up your dishes in seconds. ADAPTIVE.Cooking[™] technology automatically adjusts the cooking process according to the actual food load.

Set Up to 9 cooking steps for each program



Programs 384 programs memory



SPEEDUNOX

Select what you want to bake and the result you are looking for



Performance with no compromises



AIR.Plus

It conducts, unites, transforms.

It guarantees perfect air and heat distribution within the baking chamber, for uniform results at every point throughout every tray, for all trays.



DRY.Plus

Extracting humidity for maximum flavour. It extracts humidity from the baking chamber, thus helping the internal structure of the product to form properly and guaranteeing a texture that remains the same even hours after it has finished baking.



SPEED.Plus

The cooking accelerator.

The combined work of a microwave generator, the geometry of the waveguides and of the cooking chamber and the high-speed fan with stirring function ensures the even distribution of the microwaves on each point of the plate.





ADAPTIVE.Cooking"

Perfect results. Every time.

By registering changes in humidity and temperature, the oven automatically adjusts the cooking process to the actual food-load to deliver an identical and perfect result every time.



SMART.Preheating

Intelligent preheating.

Combining the analysis of previous cooking processes with the requirements of the next one, the oven automatically sets the best temperature and preheating time to guarantee maximum repeatability of results throughout the day, therefore reducing waiting time.



Gentle cooking function.

When activated, the oven automatically regulates the rise in temperature to make it more gentle and guarantee an optimal heat distribution on each pan in the oven. The best for delicate and heat-sensitive foods.

SPEED.Pr

Designed by your desires

Services

Anton Bodyashkin - Ugli Restaurant - Russ

Our promise is your guarantee of solid performance. Stay focused on your goals knowing that we are always by your side. MAPHS



SPEED.Pro[™]



Data will be always accessible by smartphone or PC

An ecosystem to be discovered



Data Driven Cooking

Create. Understand. Improve.

The Data Driven Cooking **Artificial Intelligence** transforms the consumption data of your oven into useful information that allows you to increase your daily profit.



DDC.Stats gives you full control over energy, water, and detergent consumption and over your cooking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.



DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalise on the abilities of your ovens and maximise the return on your investment!

Create and share

Your recipes in all your ovens.

Create your recipe book and synchronise it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.

Understand

Monitor and improve your performance.

360° Assistance

Let DDC.Coach train you.

SPEED.Pro

Technical Assistance

Installation

The right partner next to your kitchen



A global Service network

A perfect installation is essential to guarantee the correct functioning of your BAKERLUX SPEED.Pro[™] oven and eliminate interruptions in your daily work. We focus on you, so you can focus on what matters to you. Find the authorised Service Centers nearest to your kitchen. Maintenance

Don't stop your kitchen



The quickest on site Service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon or even before maintenance is required. Keeping your oven in optimal condition is Unox' priority: our technicians are at your disposal to provide you the best online and on-site support. Passion does not allow any distraction and to deal with the unexpected you need reliable assistants by your side. Thanks to Unox and its LONG.Life program, you will have the assistance of our specialised technicians and 12 month warranty covering labour and spare parts. All our products are designed to last a long time, assure you the best possible technology and allow you to face any challenge. Thus you will have to worry only about fostering your success.

After-sales services

LONG.Life warranty

A promise of reliability



A choice made to last

*Check the Warranty Conditions for your country at unox.com

**The LONG.Life warranty on magnetron covers 500 working hours.

Data sheet, features and accessories


The first ever baking speed oven



BAKERLUX SPEED.Pro[™]

Technical details





600 x 797 x 541 mm wxdxh

XESW - 03HS - EDDN

capacity 3 460 x 330

pitch 75 mm

frequency 50 Hz


voltage 380-415 V 3 PH+N+PE

power 6.5 kW


weight 88 kg











Design

SPEED.Pro^{*}

Increase your Possibilities



SPEED.Pro[™] + **SPEED.Pro**[™]

Use the side-by-side positioning or stacking kits to install multiple units in minimal space.



LIEVOX + SPEED.Pro[™] + SHOP.Pro[™] MASTER

For the most demanding customers, the prover allows you to exploit the full potential of BAKERLUX SPEED.Pro™ as a baking oven.



SPEED.Pro[™] + EVEREO®

Combined with EVEREO[®], SPEED.Pro[™] allows you to create a retail shop capable of quickly serving any type of food. SPEED.Pro[™]

Features

| ADAPTIVE.Cooking™: automatically adjusts the cooking parameters to ensure repeatable results | |
|---|--|
| SMART.Preheating: automatically sets temperature and preheating duration | |
| AUTO.Soft: manages the rise in temperature to make it more delicate | |
| JNOX INTENSIVE COOKING | |
| DRY.Plus technology: extracts humidity from the baking chamber | |
| AIR.Plus: fan with reversing gear and 2 adjustable speeds | |
| SPEED.Plus: generates microwaves and distributes them evenly throughout the baking chamber | |
| DATA DRIVEN COOKING | |
| Wi-Fi connection | |
| Ethernet connection | |
| ddc.unox.com: monitor the usage in real time, create and send recipes from your pc to your ovens | |
| DDC.Stats: analyse, compare and improve your oven usage and consumption data | |
| DDC.App: monitor your connected ovens in real time from your smartphone | |
| DDC.Coach: it analyzes the way you use the oven and suggests you new personalised recipes | |
| MANUAL BAKING | |
| Convection cooking from 30 °C to 260 °C | |
| Convection cooking + microwave from 30 °C | |
| Maximum preheating temperature 260°C | |
| ADVANCED AND AUTOMATIC COOKING | |
| PROGRAMS: save up to 896 programs with their name, image or handwritten signature | |
| CHEFUNOX: choose what to cook from the library and the oven will automatically set all the parameters | |
| SPEEDUNOX: choose what to cook from the library and the oven will automatically set all the parameters for the speed mode | |
| 9 baking steps | |
| 24 quick programs (12 SPEED and 12 BAKE) | |
| AUXILIARY FUNCTIONS | |
| Preheating temperature up to 260 °C - adjustable by the user for each program | |
| End of cooking time display | |
| Holding cooking mode «HOLD» and continuous functioning «INF» | |
| Visualisation of the nominal value of baking chamber temperature | |
| Temperature units shown in °C or °F | |
| PERFORMANCE AND SAFETY | |
| Protek.SAFE [™] : electrical power absorption related to the real needs | |
| Protek.SAFE™: Cool external surfaces | |
| FECHNICAL DETAILS | |
| Rounded stainless steel AISI 304 cooking chamber | |
| Baking chamber with integrated tray supports | |
| Visual display of the baking status by means of multicoloured LEDs | |
| Control panel with water resistance certification - IPX3 | |
| Crumb collection system integrated in the filter under the door | |
| Heavy duty structure with innovative materials | |
| 2 speed fan system with high performance round heating elements | |
| Drop down door opening | |
| Proximity door contact switch | |
| Autodiagnosis system for problems or brake down | |
| Safety thermostat | |

Accessories

┝

PROOFERS

STAND

LIEVOX 8 460 x 330

600 x 711 x 750 mm - w x d x h Art. XEKPT-08HS-C

LIEVOX WITH BOILER

8 460 x 330 600 x 711 x 750 mm - w x d x h Art. XEKPT-08HS-B

594 x 546 x 738 mm - w x d x h Art. XWKRT-08HS-H

INTERMEDIATE STAND

594 x 546 x 559 mm - w x d x h Art. XWKRT-06HS-M

HIGH STAND

LOW STAND

594 x 546 x 355 mm - w x d x h Art. XWKRT-00HS-L

FLOOR POSITIONING

594 x 546 x 150 mm - w x d x h Art. XWKRT-00HS-F


*Mandatory for oven positioning on the floor

CLEANING AGENTS





SPATULA





WHEELS AND FEET





FLAT SPATULA

Non-stick aluminum spatula for SPEED.Plate 365 x 477 x 92 mm - w x d x h Art. XUC165

Non-stick aluminum spatula for SPEED.Plate 165 x 427 x 92 mm - w x d x h Art. XUC166

COMB SPATULA

Aluminum spatula for SPEED.Grid . 365 x 477 x 92 mm - w x d x h Art. XUC167

Aluminum spatula for SPEED.Grid . 165 x 427 x 92 mm - w x d x h Art. XUC168

WHEELS KIT

2 wheels with brake - 2 wheels without brake - safety chains Art. XUC012

FEET KIT

2 brackets with feet for oven positioning on a table Art. XUC025

CONNECTION





ACCESSORIES FOR THE OVENS CONNECTION

Ethernet connection kit Art. XEC011

ACCESSORIES FOR THE OVENS CONNECTION

Wifi connection kit Art. XEC012

SPEED.Pro^{*}

Global company. Best Services Worldwide.

Unox in the world

INTERNATIONAL

UNOX S.p.a Via Majorana, 22 35010 - Cadoneghe (PD) - Italy E-mail: info@unox.com Tel: +39 049 8657511

EUROPE

T - ITALIA UNOX S.p.a E-mail: info@unox.it Tel: +39 049 8657511

DE - DEUTSCHLAND UNOX DEUTSCHLAND GMBH E-mail: info.de@unox.com Tel: +49 2951 98760

FR - FRANCE, BELGIUM & LUXEMBOURG UNOX FRANCE s.a.s. E-mail: info@unox.fr Tel: +33 4 78 17 35 39

PT - PORTUGAL UNOX PORTUGAL E-mail: info.pt@unox.com

Tel: +351 918 228 787

Tel: +34 900 82 89 43

ES - ESPAÑA UNOX PROFESIONAL ESPAÑA S.L. E-mail: info.es@unox.com **GB** - UNITED KINGDOM UNOX UK Ltd. E-mail: info@unoxuk.com Tel: +44 1252 851 522

E - IRELAND UNOX IRELAND E-mail: info.ie@unox.com Tel. +353 (0) 87 32 23 218

SC - SCANDINAVIAN COUNTRIES UNOX SCANDINAVIA AB E-mail: info.se@unox.com

Tel: +46(0)790 75 63 64

AT - ÖSTERREICH UNOX ÖSTERREICH GMBH E-mail: info.de@unox.com Tel. +43 800 880 963

RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ **UNOX РОССИЯ**

E-mail: info.ru@unox.com Tel: +7 (499) 702 - 00 - 14

CZ - ČESKÁ REPUBLIKA UNOX DISTRIBUTION s.r.o. E-mail: info.cz@unox.com Tel: +420 241 940 000

Es

HR - HRVATSKA UNOX CROATIA E-mail: narudzbe@unox.com Tel: +39 049 86 57 538

ВС - БЪЛГАРИЯ UNOX BULGARIA E-mail: info.bg@unox.com Tel: +359 2 419 05 00

PL - POLSKA Unox Polska Sp.zo.o. E-mail: info.pl@unox.com Tel: +48 665 232 000

TR - TÜRKİYE - UNOX TURKEY Profesyonel mutfak ekipmanlari endüstri ve ticaret limited şirketi E-mail: info.tr@unox.com Tel: +90 530 176 62 03

NL - NETHERLANDS UNOX NETHERLANDS B.V.

E-mail: info.nl@unox.com Tel: +31 6 27 21 14 10

BR - UNOX BRASIL SERVICOS LTDA. E-mail: info.br@unox.com Tel: +55 11 98717-8201

> **AR** - ARGENTINA UNOX ARGENTINA E-mail: info.ar@unox.com Tel: +54 911 37 58 43 46

AMERICA

US - U.S.A. & CANADA

UNOX Inc.

E-mail: info.usa@unox.com

Tel: +1 800 489 8669

CO - COLOMBIA

UNOX COLOMBIA

E-mail: info.co@unox.com

Tel: +57 350 65 88 204

MX - MEXICO UNOX MEXICO, S. DE R.L. DE C.V. E-mail: info.mx@unox.com Tel: +52 55 8116-7720

ASIA, OCEANIA & AFRICA

RU

ZA - SOUTH AFRICA UNOX SOUTH AFRICA E-mail: info.sa@unox.com Tel: +27 845 05 52 35

AE - U.A.E. UNOX MIDDLE EAST DMCC E-mail: info.uae@unox.com Tel: +971 4 554 2146

UZ - UZBEKISTAN UNOX PRO LLC E-mail: info.uz@unox.com Tel: +998 90 370 90 10

CN - 中华人民共和国 UNOX TRADING (SHANGHAI) Ltd. CO. 电子邮件: info.china@unox.com 电话:+86 21 56907696

MY - MALAYSIA & SINGAPORE UNOX (ASIA) SDN. BHD E-mail: info.asia@unox.com Tel: +603-58797700

SPE 42

ED.Pr



PH - PHILIPPINES UNOX PHILIPPINES

E-mail: info.asia@unox.com Tel: +63 9173108084

D - INDONESIA UNOX INDONESIA

E-mail: info.asia@unox.com Tel: +62 81908852999

KR - 대한민국 UNOX KOREA CO. Ltd. 이메일 : info.asia@unox.com 전화 : +82 2 69410351

TW - TAIWAN, HONG KONG & MACAU UNOX TAIWAN

E-mail: info.tw@unox.com Tel: +886 928 250 536

AC - OTHER ASIAN COUNTRIES UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

AU - AUSTRALIA UNOX AUSTRALIA PTY Ltd.

E-mail: info@unoxaustralia.com.au Tel: +61 3 9876 0803

NZ - NEW ZEALAND UNOX NEW ZEALAND Ltd.

E-mail: info@unox.co.nz Tel: +64 (0) 800 76 0803



INVENTIVE SIMPLIFICATION

unox.com



LI1944A0 printed on 03-2020 All images used are for illustrative purposes only. All features indicated in this catalogue may be subject to change and could be updated without notice.