# **CAMBRO**



# **Camtainer® Insulated Containers**

For Hot and Cold Beverages

Models 100LCD 1<sup>1</sup>/<sub>2</sub> gallon (5,5 L) 250LCD 2<sup>1</sup>/<sub>2</sub> gallon (9,4 L) *For Soup (No Spigot)* 

Model 350LCD 3<sup>3</sup>/<sub>8</sub> gallon (12,7 L)



#### Features & Benefits

- Attractive design is perfect for front-of the-house hot and cold beverage or soup service. Stacks easily for storage and transportation.
- Serving capacity:

Model 100LCD - 27 each 7 oz. (210 mL) cups Model 250LCD - 45 each 7 oz. (210 mL) cups Model 350LCD - 61 each 7 oz. (210 mL) servings

- Single-molded, seamless, double-wall, high-density, polyethylene construction is highly durable, dishwasher safe and resists dings and dents. Textured exterior is scratch-resistant.
- Polyurethane foam insulation provides excellent hot or cold temperature retention for hours. Hot beverages remain hot without the need for a costly external heating source.
- Molded-in handles offer comfortable easy transporting.
- Recessed sturdy plastic latches will not rust or corrode and are protected from being hit or damaged.
- Drip proof recessed spigot (on 100LCD & 250LCD) allows for convenient access. Optional Easy Serve Dispenser lever attaches easily and offers easy and even beverage dispensing.
- Raised edge, spill proof rim prevents spills and leaks during transport.
- Pop-up vent on all models helps to equalize pressure and release steam.
- Self-adhesive beverage labels included for quick identification of contents.
- Optional Condiment Holder and Riser available for 250LCD.
- Optional Camdollies® offer easy transporting.
- Non-electrical.
- No assembly required.
- Available in 8 colors.







Easy Serve Dispenser

нот

Spill Proof Rim and Molded-in Handle.

200°F (93°C)	192°F (89°C)	190°F (88°C)	187°F (86°C)	185°F (85°C)
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

### Approvals






# **Camtainer® Insulated Containers**

# For Hot and Cold Beverages


Models 100LCD 1<sup>1</sup>/<sub>2</sub> gallon (5,5 L) 250LCD 21/2 gallon (9,4 L)

# For Soup (No Spigot)

# Model 350LCD 3<sup>3</sup>/<sub>8</sub> gallon (12,7 L)



# aaifiaatiana



Specifications				Dimension Tolerance: +/- 1/4" (0,64 cm)	
Code	Description	Total Capacity	Serving Capacity 7 oz. (210 mL) cups	Dimensions W x D x H	Case lbs./cube Kg/m³
100LCD	Camtainer	1 <sup>1</sup> /2 gallon (5,5 L)	27	10¾" x 11¾" x 17¼" (26 x 30 x 43 cm)	9.5 (1.24) 4,5 (0,035)
250LCD	Camtainer	2 <sup>1</sup> / <sub>2</sub> gallon (9,4 L)	45	9" x 165%" x 18¼" (23 x 42 x 46 cm)	12.75 (1.70) 6 (0,05)
350LCD	Camtainer for Soup (No Spigot)	3¾ gallon (12,7 L)	61	9" x 165⁄%" x 183⁄%" (23 x 42 x 47 cm)	13.25 (1.70) 6 (0,05)

#### **Optional Accessories**

Easy Serve Dispenser	LCDES fits 100LCD & 250LCD
Riser	R500LCD fits 250LCD
Condiment Holder	LCDCH fits 250LCD
Camdolly®	□ CD100 □ CD100H fits 250LCD and 350LCD □ CD100HB fits 250LCD and 350LCD

# Standard Colors

Avy Blue (186) Dark Brown (131) Black (110)

□ Slate Blue (401) Brick Red (402) Hot Red (158)

Coffee Beige (157) Green (519)

### **Architect Specs**

The portable, non-electrical hot and cold beverage and soup container/server shall be a Camtainer Insulated Container, Models ...., manufactured by Cambro Mfg. Co., Huntington Beach, CA 92647 U.S.A. It shall be made of one-piece, seamless, double-wall polyethylene and foam-injected polyurethane. It shall have a raised edge, spill-proof rim. It shall have a pop-up vent to help equalize pressure and release steam. It shall have durable, plastic latches on recessed, molded-in mounting plates. It shall have molded-in handles. It shall have a drip proof, recessed serving spigot designed with easy finger adjustment on  $1^{1/2}$  gallon (5,5 L) and 21/2 gallon (9,4 L) container. It shall have the option of an Easy Serve



## WA DEALER PRACTICAL PRODUCTS PTY LTD

PH: 08 9302 1299 51 Paramount Dr Wangara WA 6065 sales@practicalproducts.com.au www.practicalproducts.com.au