



Fry Station Solutions

Supermarkets & Delis Restaurants & Cafés • Clubs & Bars



GRFF in optional Gloss finish Brilliant Blue and **UGFF** in optional Gloss finish Glossy Gray *pg. 2*



GRFFL with optional 9" display sign holder (sign not included) and *Designer* Warm Red color, and accessory food pan *pg. 2*



MPWS-36 shown with optional fry bin insert *pg. 4*



GRFHS-PT26 with accessory 8-pleat hardcoated fry box ribbon (scoop not included) pg. 5



GRFHS-PTT21 pg. 5



GRFSCL-18 with swing-away post mount, cord with plug and accessory food pan *pg. 5*

WA DEALER PRACTICAL PRODUCTS PTY LTD

PH: 08 9302 1299 51 Paramount Dr Wangara WA 6065 sales@practicalproducts.com.au www.practicalproducts.com.au



Portable Foodwarmers

Opt for the versatility of Hatco's Glo-Ray[®] and Ultra-Glo[®] Portable Foodwarmers. With heat from above, below or both, these foodwarmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows and service areas that require frequent and easy access.



- Portable ready to plug in and use
- Versatile available in many sizes, styles and heat sources to fit your needs
- Flexible both top and bottom heat available
- Available with incandescent bulbs containing special protective coating to guard against food contamination
- Ceramic heating elements provide more distance between the heat source and the holding pan (UGFF series only)
- Toggle switch is standard; infinite switch optional on GRFF series
- All base heat units (GR-B, GRFFB and UGFFB) have a preset automatic thermostat to maintain consistent temperatures





GLO-RAY® PORTABLE FOODWARMERS

		Dimensions	Voltage		
Model	No. of Bulbs	W x D x H	Single Phase	Watts	Ship Weight
GR-B	-	12¾" x 22" x 2¼"	120	250	16 lbs.
GRFF	-	12¾" x 24" x 15¾"	120	500	16 lbs.
GRFFL	2	12¾" x 24" x 15%"	120	620	18 lbs.
	-	12 ³ ⁄4" x 24" x 16"-20"	120	750	26 lbs.
GRFFBL [§]	2	12¾" x 24" x 16"-20"	120	870	31 lbs.
S 01 1 1 1					

§ Standard clearance is 14". Specify 12" or 16" if required.

All Portable Foodwarmer Models Feature:

Plug: NEMA 5-15P.

Models Shipped with: A 6' cord & plug set. Cord Location: GR-B, GRFFB, GRFFBL: Back, lower middle. GRFF, GRFFL: Back, upper middle.

ULTRA-GLO® PORTABLE FOODWARMERS WITH CERAMIC ELEMENTS

Model	No. of Bulbs	Dimensions W x D x H	Voltage Single Phase	Watts	Ship Weight
UGFF	-	123/8" x 221/4" x 187/8"	120	750	15 lbs.
UGFFL	2	123/8" x 221/4" x 187/8"	120	870	19 lbs.
UGFFB	-	12¾" x 22½" x 22"	120	1000	26 lbs.
UGFFBL	2	12¾" x 22½" x 22"	120	1120	31 lbs.

All Ceramic Portable Foodwarmer Models Feature: Plug: NEMA 5-15P. Models Shipped with: A 6' cord & plug set.

Cord Location: UGFF, UGFFL: Back, upper middle. UGFFB, UGFFBL: Back, lower middle.

OPTIONS AND ACCESSORIES – PAGE 3

GR = Glo-Ray UG = Ultra-Glo	FF x L L = Incandescent Light No Character = No Light
French Fry —	B = Base Heat No Character = No Base Heat





OPTIONS (available at time of purchase only)

Designer Colors (one color per unit, heated base is not powdercoated) - Non-standard colors are non-returnable - Clear Anodized Standard -


REĎ	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
Gloss Finishe	s (one color per unit, heated base is not painted) – Non-standard colors are non-returnable –
RRED	Radiant Red
GGOLD	Gleaming Gold
GGRAY	Glossy Grav
uunai	
BBLUE	Brilliant Blue
BBLUE BBLACK Clearance (fro	Brilliant Blue
BBLUE BBLACK Clearance (fro 12"	Brilliant Blue Bold Black
BBLUE BBLACK Clearance (fro 12" 14"	Brilliant Blue Bold Black
BBLUE BBLACK Clearance (fro 12" 14" 16"	Brilliant Blue Bold Black Im bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 14" Standard –
BBLUE BBLACK Clearance (fro 12" 14" 16" SIGN HOLD	Brilliant Blue Bold Black Im bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 14" Standard –
BBLUE BBLACK Clearance (fro 12" 14" 16" SIGN HOLD INF	Brilliant Blue Bold Black Im bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 14" Standard – Sign Holder for GRFFL model with Back Toggle only (requires 9"W x 5½"H x ½6"D Sign, which is not included and adds 3" to height of unit) Infinite Control (not available on models GR-B, UGFF, UGFFL, UGFFB or UGFFBL)
BBLUE BBLACK Clearance (fro 12" 14" 16" SIGN HOLD INF HAL	Brilliant Blue Bold Black Im bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 14" Standard – Sign Holder for GRFFL model with Back Toggle only (requires 9"W x 5½"H x ½6"D Sign, which is not included and adds 3" to height of unit)
BBLUE BBLACK Clearance (fro 12" 14" 16" SIGN HOLD INF HAL	Brilliant Blue Bold Black bom bottom of Glo-Ray to top of heated surface) – GRFFB, GRFFBL only – 14" Standard – Sign Holder for GRFFL model with Back Toggle only (requires 9"W x 5½"H x ½"D Sign, which is not included and adds 3" to height of unit) Infinite Control (not available on models GR-B, UGFF, UGFFL, UGFFB or UGFFBL) 60W Halogen Bulb in lieu of standard Display Light

FOOD PANS AND TRIVETS – PAGE 7 Colors and Finishes – Page 7



Multi-Product Warming Stations

Hatco's redesigned Multi-Product Warming Station safely holds hot fried foods at optimum serving temperatures in kitchen work areas. The unit is designed for maximum durability and performance with minimum maintenance.



- New wider, deeper side openings
- · Easy access to food product
- Coated shatter-resistant incandescent lights enhance brilliant product display while safeguarding food from bulb breakage

ENDLESS POSSIBILITIES OF CONFIGURATION Incremental spacing between portable dividers is 51/8"



Shown with accessory fry bin insert and standard detachable side panel on right side



Shown with optional fry pans, and accessory angled riser and scoop holder (plastic food pans not available)

• Six overhead ceramic heating elements are adjusted by two separate electronic infinite controls - one for the rear elements and one for the front elements

- Thermostatically-controlled base heat assures safe serving temperatures
- All stainless steel construction
- Master On/Off rocker switch



Shown with optional fry pans, accessory fry ribbon on angled riser and accessory scoop holder



Shown with accessory fry ribbons on angled risers, fry pan and scoop holder (plastic food pans not available)

MULTI-PRODUCT WARMING STATIONS

		Dimensions	Wa	itts	
Model	No. of Bulbs	W x D x H	120/208V	120/240V	Ship Weight
MPWS-36	4	37 ⁷ / ₁₆ " x 24 ¹³ / ₁₆ " x 32 ³ / ₄ "	2773	2755	152 lbs.
MPWS-45	4	451/16" x 24 ¹³ /16" x 32 ³ /4"	2799	2780	170 lbs.

OPTION CAPACITIES Model Fry Pan Angled with Trivet Risers MPWS-36 0 MPWS-45

Warming Station

MPWS-36 with accessory angled risers, fry pan and trivet (plastic pans not available)

All Multi-Product Warming Station Models Feature: Plug: NEMA L14-20P. Models Shipped with: 4" adjustable legs. Cord Location: Back side, upper left corner.

OPTIONS (available at time of purchase only) 60W Halogen Bulb in lieu of standard Display Light HAL ACCESSORIES (available for purchase at any time) MPWS36BIN FHS4BOX Four-Pleat Hardcoated Fry Box Ribbon - 103/4"W x 5"D x 13/4"H FHS5BAG Five-Pleat Hardcoated Fry Bag Ribbon – 111/4"W x 5"D x 17/8"H 5BH 5" Side-by-Side Bag Holder FHS-SH Scoop Holder **MPWS-RISER** Angled Riser MPWS-PT Fry Pan and Trivet Full Fry Bin Insert for MPWS-36 unit only (includes Drip Tray, Perforated Insert and Three Dividers) Full Fry Bin Insert for MPWS-45 unit only (includes Drip Tray, Perforated Insert and Four Dividers) MPWS36BIN MPWS45BIN **MPWS-PT** FOOD PANS AND TRIVETS - PAGE 7 MPWS-RISER FHS4BOX 5BH FHS-SH FHS5BAG MP WS - Width (inches) Multi-Product

4

Fry Station Solutions



Glo-Ray® Fry Stations

Hatco offers convenient Glo-Ray[®] Fry Stations that can be placed where they are most needed – next to a fryer! Glo-Ray heat technology offers the ability to keep fried foods at optimum temperatures, ready to serve, without cooking or drying them out.

- Accessory hardcoated fry ribbons stage boxed or bagged products for quick-service areas
- Thermostatically-controlled heated base maintains uniform holding temperatures from below (GRFHS series)
- Portable models including pass-through style (GRFHS series)
- Sectional divider permits holding of multiple products simultaneously (GRFHS series)
- Ceramic elements and slotted holding bin prevent soggy product (GRFHS series)

- Accessory hardcoated fry ribbons absorb more radiant heat than stainless steel, can be up to 15° to 20°F hotter (GRFHS series)
- Fry Station Warmers (GRFSC, GRFS series) feature a built-in top heat source and a swing-away post mount
- GRFSC series available with a ceramic heating element, while the GRFS series has metal sheathed or ceramic heating elements
- Variety of clearances (GRFS series)

GRFHS-16

• GRFS series has a power toggle switch, a cord & plug set, plus optional infinite control

GRFSCL-18

Swing-away

post mount





PORTABLE FRY HOLDING STATIONS

GRFHS-16* 2 16%" x 22" x 22%" 120 1090 51 lb GRFHS-21* 2 21%" x 28½" x 22%" 120 1200 63 lb GRFHS-22* 2 21%" x 18" x 17%" 120 1300 44 lb GRFHS-26* 2 26 7/6" x 23%" x 22%" 120 1300 66 lb GRFHS-PT16* 2 21%" x 23%" x 24%" 120 1090 60 lb GRFHS-PT26* 2 29%" x 22%" x 24%" 120 1440 64 lb GRFHS-PT26* 2 29%" x 22%" x 24%" 120 1440 64 lb						
GRFHS-21* 2 21 ³ / ₆ " x 28 ³ / ₂ " x 22 ³ / ₄ " 120 1200 63 lt GRFHS-22* 2 21 ⁵ / ₆ " x 18" x 17 ⁵ / ₁₆ " 120 1030 44 lt GRFHS-26* 2 26 ⁷ / ₁₆ " x 23 ³ / ₁₆ " x 22 ³ / ₄ " 120 1200 66 lt GRFHS-PT16 ⁺ 2 21 ⁵ / ₈ " x 23 ³ / ₁₆ " x 24 ³ / ₈ " 120 1090 60 lt GRFHS-PT26 ⁺ 2 29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁵ / ₈ " 120 1440 64 lt GRFHS-PT26 ⁺ 2 29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁴ / ₈ " 120 1440 64 lt	Model	No. of Bulbs		•	Watts	Ship Weight
GRFHS-22* 2 21 ⁵ / ₄ " x 18" x 17 ⁵ / ₄ 6" 120 1030 44 lt GRFHS-26 * 2 26 ⁷ / ₄ 6" x 23 ³ / ₄ 6" x 22 ³ / ₄ " 120 1200 66 lt GRFHS-PT6^ 2 21 ⁵ / ₈ " x 23 ³ / ₄ " x 24 ⁵ / ₈ " 120 1090 60 lt GRFHS-PT26^ 2 29 ⁷ / ₈ " x 22 ³ / ₄ " x 24 ⁵ / ₈ " 120 1440 64 lt GRFHS-PT26^ 2 29 ⁷ / ₈ " x 22 ⁷ / ₆ " x 24 ⁴ / ₈ " 120 1440 64 lt	GRFHS-16*	2	16¾" x 22" x 22¾16"	120	1090	51 lbs.
GRFHS-26* 2 26 ⁷ / ₁₆ " x 23 ⁷ / ₁₆ " x 22 ³ / ₄ " 120 1200 66 lk GRFHS-PT16^ 2 21 ⁵ / ₈ " x 23 ¹ / ₄ " x 24 ⁵ / ₈ " 120 1090 60 lk GRFHS-PT26^ 2 29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁵ / ₈ " 120 1440 64 lk GRFHS-PT26^ 2 29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁵ / ₈ " 120 1440 64 lk	GRFHS-21*	2	21 ³ / ₈ " x 28½" x 22 ³ / ₄ "	120	1200	63 lbs.
GRFHS-PT16▲ 2 215%" x 23½" x 245%" 120 1090 60 lt GRFHS-PT26▲ 2 297%" x 227%6" x 245%" 120 1440 64 lt GRFHS-PT26▲ 2 297%" x 227%6" x 245%" 120 1440 64 lt GRFHS-PT26▲ 2 297%" x 227%6" x 245%" 120 1440 64 lt	GRFHS-22*	2	215⁄8" x 18" x 175⁄16"	120	1030	44 lbs.
GRFHS-PT26 2 297%" x 227/16" x 245%" 120 1440 64 lb GRFHS-PT26 2 297%" x 227/16" x 245%" 120 1440 64 lb	GRFHS-26*	2	26 ⁷ /16" x 23 ⁷ /16" x 22 ³ /4"	120	1200	66 lbs.
GRFHS-PT26 [▲] 2 29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁵ / ₈ " 120 1440 64 lb	GRFHS-PT16*	2	215⁄8" x 231⁄4" x 245⁄8"	120	1090	60 lbs.
	GRFHS-PT26*	2	29 ⁷ / ₈ " x 22 ⁷ / ₁₆ " x 24 ⁵ / ₈ "	120	1440	64 lbs.
GRFHS-PTT21* 2 22 ³ / ₄ " x 38" x 22 ¹ / ₂ " 120 1740 100 lb	GRFHS-PT26▲■	2	291/8" x 221/16" x 245/8"	120	1440	64 lbs.
	GRFHS-PTT21*	2	22¾" x 38" x 22½"	120	1740	100 lbs.

GRFHS-PTT21

* Add 1/3/4" to width if ordering scoop holder.

▲ Scoop holder standard.

6" deep base in lieu of standard 4" base.

All Portable Fry Holding Station Models Feature:

Plug: NEMA 5-15P. (GRFHS-PTT21 uses NEMA 5-20P in Canada.) Models Shipped with: One slotted holding bin and one sectional divider. Cord Location: GRFHS-16, -21, -22, -26, -PT16, -PT26: Back side, lower right corner. GRFHS-PTT21: Lower right-hand side.

FRY STATION WARMERS

Model	No. of Bulbs	Dimensions W x D x H	Voltage Single Phase	Watts	Ship Weight
GRFSC-18 ^D	-	6" x 18" x 19¼"-22½"	120	750	11 lbs.
GRFSCL-18 ^D	2	9" x 18" x 19 ¹ ⁄4"-22 ¹ ⁄2"	120	870	13 lbs.
GRFSCR-18 ^{D†}	-	6" x 18" x 19¼"-22½"	120	750	12 lbs.
GRFSCLR-18□†	2	9" x 18" x 191⁄4"-221⁄2"	120	870	14 lbs.
GRFS-24 ^o	-	6" x 24" x 12½"-15½"	120	500	10 lbs.
GRFSL-24 °	2	9" x 24" x 12½"-15½"	120	620	13 lbs.
GRFSR-24 ^{O†}	-	6" x 24" x 12½"-15½"	120	500	10 lbs.
GRFSLR-24 ^{O†}	2	9" x 24" x 12½"-15½"	120	620	13 lbs.



with swing-away post mount and cord with plug

^D Specify clearance of 16³/₄", 18" (standard) or 20" when ordering.

⁺ Fry Station Warmer without cord & plug set, UL Recognized. Supply wires through mounting post.

^o Specify clearance of 10", 11", 12" or 13" (standard) when ordering.


All Fry Station Warmer Models Feature:

Plug: NEMA 5-15P.

Toggle Switch Location: Ceramic Heating Element Models: Back of unit. Metal Sheathed Heating Element Models: Front of unit.


Cord Location: GRFSC-18, GRFSCL-18, GRFS-24 and GRFSL-24: Back, upper middle.

OPTIONS AND ACCESSORIES – PAGE 6









OPTIONS (available at time of purchase only)

FHS-CUT	Right- or Left-Hand Cutout for Fry Basket (must specify side at time of order). Adds 111/16" to width of unit (GRFHS-16, -21, -26 models only)
INF	Infinite Control (metal sheathed GRFS models only)
HAL	60W Halogen Bulb in lieu of standard Display Light

ACCESSORIES (available for purchase at any time)

5PLTB0X	Five-Pleat Hardcoated French Fry Box Ribbon – 19¼"W x 9¼"D x 2"H
8PLTBAG	Eight-Pleat Hardcoated French Fry Bag Ribbon – 19/4 "W x 9/4"D x 2"H
FHS4B0X	Four-Pleat Hardcoated Fry Box Ribbon (GRFHS-16, -26) – 10 ³ / ⁴ W x 5"D x 1 ³ / ⁴ "H
FHS5BAG	Five-Pleat Hardcoated Fry Bag Ribbon (GRFHS-16, -26) – 111/4"W x 5"D x 11/4"H
FHS5B0X	Five-Pleat Hardcoated Fry Box Ribbon (GRFHS-21) – 17½"W x 5"D x 1%"H
FHS7BAG	Seven-Pleat Hardcoated Fry Bag Ribbon (GRFHS-21) – 17% "W x 5"D x 1%"H
PT26-10BAG	Ten-Pleat Hardcoated Fry Bag Ribbon (GRFHS-PT26 and -PTT21) – 22½"W x 5"D x 1%"H
5BH	5" Side-by-Side Bag Holder (GRFHS-21)
FHS-SH	Scoop Holder (adds 11/4" to width of unit). One (1) standard on GRFHS-PT26, -PTT21 models (not available for GRFHS-22)
FHSDIV1	Sectional Divider – 16"W X 31/4"H (GRFHS-16, -26 and -PT16 models)

FOOD PANS AND TRIVETS - PAGE 7



Fry Station Solutions





Food Pans And Trivets



Paint Chip Sample Colors

Full-Size Stainless Steel Pan – 12³/₄"W x 20³/₄"D x 4"H

ST PAN 2 ST PAN 4



Colors are a representation and may not exactly match our colors. Consult factory for possible color matching options on these colors. Non-standard colors are non-returnable.

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit www.hatcocorp.com / Order Literature / Sales Literature / Sell Sheets.